Texas, AC +/-







| Boundary 315.83 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | СРІ | NCCPI | CAP |
|-----------|--|---------------|-------|-----|-------|-----|
| RnA | Rotan clay loam, 0 to 1 percent slopes | 53.42 | 16.91 | 0 | 51 | 1 |
| WhA | Wichita loam, 0 to 1 percent slopes | 49.8 | 15.77 | 0 | 54 | 2c |
| SaA | Sagerton clay loam, moist, 0 to 1 percent slopes | 49.16 | 15.56 | 0 | 47 | 2c |
| OtA | Sagerton clay loam, moist, 0 to 1 percent slopes | 43.36 | 13.73 | 0 | 47 | 2c |
| Gr | Polar very gravelly sandy loam, 5 to 25 percent slopes | 33.48 | 10.6 | 0 | 21 | 6s |
| 35 | Rotan clay loam, dry, 0 to 1 percent slopes | 21.23 | 6.72 | 0 | 50 | 1 |
| WhB | Wichita loam, 1 to 3 percent slopes | 16.7 | 5.29 | 0 | 54 | 2e |
| 39 | Sagerton clay loam, 0 to 1 percent slopes | 13.88 | 4.39 | 0 | 45 | 2c |
| MnA | Miles fine sandy loam, moist, 0 to 1 percent slopes | 9.41 | 2.98 | 0 | 50 | 2e |
| Мр | Miles complex | 6.49 | 2.05 | 0 | 44 | 3e |
| Vb | Vernon-Knoco complex, dry, 1 to 12 percent slopes | 5.95 | 1.88 | 0 | 18 | 6e |
| OtB | Sagerton clay loam, moist, 1 to 3 percent slopes | 4.38 | 1.39 | 0 | 46 | 2e |
| WwB | Woodward-Quinlan loams, 1 to 3 percent slopes | 2.76 | 0.87 | 0 | 32 | 2e |
| 40 | Sagerton clay loam, 1 to 3 percent slopes | 2.44 | 0.77 | 0 | 45 | 2e |
| СоВ | Cosh fine sandy loam, 1 to 5 percent slopes | 1.9 | 0.6 | 0 | 21 | 4s |
| MsA | Miles fine sandy loam, moist, 0 to 1 percent slopes | 0.88 | 0.28 | 0 | 50 | 2e |
| 57 | Woodward loam, 1 to 3 percent slopes, warm | 0.59 | 0.19 | 0 | 35 | 3e |
| TOTALS | | 315.8 6(*) | 100% | - | 45.65 | 2.3 |

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

| Land, Capability | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 'Wild Life' | • | • | • | • | • | • | • | • |
| Forestry | • | • | • | • | • | • | • | |
| Limited | • | • | • | • | • | • | • | |
| Moderate | • | • | • | • | • | • | | |
| Intense | • | • | • | • | • | | | |
| Limited | • | • | • | • | | | | |
| Moderate | • | • | • | | | | | |
| Intense | • | • | | | | | | |
| Very Intense | • | | | | | | | |

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$ soil limitations within the rooting zone $\left(w\right)$ excess of water