
Platinum 2

South Dakota, AC +/-



Boundary

The information contained herein was obtained from sources deemed to be reliable.
Land id® Services makes no warranties or guarantees as to the completeness or accuracy thereof.

| All Polygons 278.34 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
P324F	Pierre-Fairburn-Ucross complex, moist, 10 to 50 percent slopes	116.81	41.97	9	8	7e
P324D	Pierre-Fairburn-Ucross complex, moist, 6 to 25 percent slopes	26.09	9.37	24	33	6e
P446B	Savo silt loam, moist, 2 to 6 percent slopes	25.91	9.31	84	43	3e
P320F	Pierre-Fairburn-Rock outcrop complex, moist, 15 to 60 percent slopes	18.96	6.81	11	5	7e
P556D	Ziggy loam, moist, 6 to 20 percent slopes	18.47	6.64	48	50	6e
P448A	Savo silty clay loam, moist, 0 to 2 percent slopes	18.02	6.47	86	45	3s
P222F	Maitland-Lakoa loams, 15 to 50 percent slopes	16.45	5.91	5	13	7e
P194D	Lakoa-Maitland complex, 6 to 25 percent slopes	12.73	4.57	4	51	6e
P464B	Sodawells fine sandy loam, acid, 0 to 4 percent slopes, flooded	11.83	4.25	41	40	3e
P150D	Gurney, warm-Mittenbutte, moist complex, 3 to 20 percent slopes	8.51	3.06	37	36	6e
P360D	Recluse, moist-Gurney, warm complex, 6 to 20 percent slopes	4.56	1.64	48	46	6e
TOTALS		278.34(*)	100%	27.49	23.68	5.95

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing **Cultivation**

(c) climatic limitations (e) susceptibility to erosion
(s) soil limitations within the rooting zone (w) excess of water