

I  Boundary 460.65 ac

| SOIL CODE | SOIL DESCRIPTION   | ACRES     | %     | CPI | NCCPI | CAP  |
|-----------|--|-----------|-------|-----|-------|------|
| LeB       | Leeray clay, 1 to 3 percent slopes                                     | 169.67    | 36.83 | 0   | 40    | 3e   |
| BrC       | Bonti-Exray complex, 1 to 8 percent slopes, extremely stony            | 77.66     | 16.86 | 0   | 27    | 4e   |
| TuB       | Truce fine sandy loam, 1 to 3 percent slopes                           | 72.61     | 15.76 | 0   | 37    | 3s   |
| TuC2      | Truce fine sandy loam, 1 to 5 percent slopes, eroded                   | 32.32     | 7.02  | 0   | 36    | 3e   |
| ThC       | Throck clay, 1 to 5 percent slopes                                     | 30.96     | 6.72  | 0   | 35    | 3e   |
| BxE       | Bonti-Exray-Truce complex, hilly, very stony                           | 27.92     | 6.06  | 0   | 33    | 7s   |
| FsoA      | Frio silty clay loam, 0 to 1 percent slopes, occasionally flooded      | 20.43     | 4.44  | 0   | 47    | 2e   |
| FsfA      | Frio silty clay loam, 0 to 1 percent slopes, frequently flooded        | 13.63     | 2.96  | 0   | 44    | 5w   |
| BgB       | Bluegrove loam, 1 to 3 percent slopes                                  | 13.56     | 2.94  | 0   | 35    | 3s   |
| WcB       | Wichita clay loam, 1 to 3 percent slopes                               | 1.77      | 0.38  | 0   | 56    | 2e   |
| OxE       | Owens-Harpersville complex, 8 to 45 percent slopes, extremely bouldery | 0.12      | 0.03  | 0   | 9     | 7e   |
| TOTALS    |  | 460.65(*) | 100%  | -   | 36.63 | 3.42 |









(\*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

## Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability

|              |  |  |  |  |  |  |  |  |
|--------------|---|---|---|---|--|---|---|---|
|              | 1   | 2   | 3   | 4   | 5  | 6   | 7   | 8   |
| 'Wild Life'  | •   | •   | •   | •   | •  | •   | •   | •   |
| Forestry     | •   | •   | •   | •   | •  | •   | •   |   |
| Limited      | •   | •   | •   | •   | •  | •   | •   |   |
| Moderate     | •   | •   | •   | •   | •  | •   |   |   |
| Intense      | •   | •   | •   | •   | •  |   |   |   |
| Limited      | •   | •   | •   | •   |  |   |   |   |
| Moderate     | •   | •   | •   |   |  |   |   |   |
| Intense      | •   | •   |   |   |  |   |   |   |
| Very Intense | •   |   |   |   |  |   |   |   |

### Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water