

Other Options

[Return to menu](#)
[Plot this site in State Library Digital Atlas](#)
[Plot this site in Google Maps](#)
[View scanned well log \(11/10/2006 4:54:29 PM\)](#)

Section 7: Well Test Data

Total Depth: 498
Static Water Level: 233
Water Temperature:

Air Test *

9 gpm with drill stem set at feet for 1 hours.
Time of recovery 0 hours.
Recovery water level feet.
Pumping water level 440 feet.

Township	Range	Section	Quarter Sections
11N	02W	22	SW¼ SE¼
	County		Geocode

** During the well test the discharge rate shall be as uniform as possible. This rate may or may not be the sustainable yield of the well. Sustainable yield does not include the reservoir of the well casing.*

Latitude	Longitude	Geomethod	Datum
46.692332	-111.837558	TRS-SEC	NAD83
Ground Surface Altitude	Ground Surface Method	Datum	Date

Addition	Block	Lot
LAKE VIEW RANCH		

Section 8: Remarks

Section 3: Proposed Use of Water

DOMESTIC (1)

Section 4: Type of Work

Drilling Method: ROTARY
Status: NEW WELL

Section 5: Well Completion Date

Date well completed: Tuesday, September 2, 1997

Section 6: Well Construction Details

Borehole dimensions

From	To	Diameter
0	18	10
18	498	6

Casing

From	To	Diameter	Wall Thickness	Pressure Rating	Joint	Type
-2	18	6				STEEL
8	498	4				PLASTIC

Completion (Perf/Screen)

From	To	Diameter	# of Openings	Size of Openings	Description
318	338	4			1X.02 FACTORY SLOT
478	498	4			1X.02 FACTORY SLOT

Annular Space (Seal/Grout/Packer)

From	To	Description	Cont. Fed?
0	18	BENTONITE	

Section 9: Well Log

Geologic Source

Unassigned

[illegible]

Driller Certification

All work performed and reported in this well log is in compliance with the Montana well construction standards. This report is true to the best of my knowledge.

Name:
Company: H & L DRILLING INC
License No: WWC-447
Date Completed: 9/2/1997