

--- Road / Trail □ Boundary

|  All Polygons 88.35 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|-----------|--|----------|-------|-----|-------|------|
| ObB | Olton clay loam, breaks, 1 to 3 percent slopes | 38.96 | 44.09 | 0 | 47 | 3e |
| AcB | Acuff loam, 1 to 3 percent slopes | 19.4 | 21.95 | 0 | 51 | 3e |
| WeB | Weymouth clay loam, 1 to 3 percent slopes | 11.36 | 12.86 | 0 | 34 | 3s |
| WeC | Weymouth clay loam, 3 to 5 percent slopes | 7.01 | 7.93 | 0 | 33 | 4e |
| VPD | Veal-Paloduro association, 3 to 8 percent slopes | 4.35 | 4.92 | 0 | 40 | 4e |
| AcC | Acuff loam, 3 to 5 percent slopes | 2.85 | 3.23 | 0 | 48 | 4e |
| ObA | Olton clay loam, breaks, 0 to 1 percent slopes | 1.44 | 1.63 | 0 | 47 | 3e |
| EbB | Estacado clay loam, breaks, 1 to 3 percent slopes | 1.22 | 1.38 | 0 | 49 | 3e |
| PyB | Posey clay loam, 1 to 3 percent slopes | 1.12 | 1.27 | 0 | 41 | 3e |
| VWF | Vernon-Knoco complex, cool, 1 to 12 percent slopes | 0.64 | 0.72 | 0 | 20 | 6e |
| TOTALS | | 88.37(*) | 100% | - | 44.53 | 3.18 |

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

|  Boundary 17.86 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|-----------|--|----------|-------|-----|-------|-----|
| AcB | Acuff loam, 1 to 3 percent slopes | 14.31 | 80.12 | 0 | 51 | 3e |
| AcC | Acuff loam, 3 to 5 percent slopes | 2.85 | 15.96 | 0 | 48 | 4e |
| VPD | Veal-Paloduro association, 3 to 8 percent slopes | 0.7 | 3.92 | 0 | 40 | 4e |
| TOTALS | | 88.37(*) | 100% | - | 50.09 | 3.2 |

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

|  Boundary 70.49 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|-----------|--|-------|-------|-----|-------|-----|
| ObB | Olton clay loam, breaks, 1 to 3 percent slopes | 38.96 | 55.25 | 0 | 47 | 3e |
| WeB | Weymouth clay loam, 1 to 3 percent slopes | 11.36 | 16.11 | 0 | 34 | 3s |
| WeC | Weymouth clay loam, 3 to 5 percent slopes | 7.01 | 9.94 | 0 | 33 | 4e |
| AcB | Acuff loam, 1 to 3 percent slopes | 5.09 | 7.22 | 0 | 51 | 3e |
| VPD | Veal-Paloduro association, 3 to 8 percent slopes | 3.65 | 5.18 | 0 | 40 | 4e |
| ObA | Olton clay loam, breaks, 0 to 1 percent slopes | 1.44 | 2.04 | 0 | 47 | 3e |
| EbB | Estacado clay loam, breaks, 1 to 3 percent slopes | 1.22 | 1.73 | 0 | 49 | 3e |
| PyB | Posey clay loam, 1 to 3 percent slopes | 1.12 | 1.59 | 0 | 41 | 3e |
| VWF | Vernon-Knoco complex, cool, 1 to 12 percent slopes | 0.64 | 0.91 | 0 | 20 | 6e |

| | | | | | | |
|--------|--|----------|------|---|-------|------|
| TOTALS | | 88.37(*) | 100% | - | 43.12 | 3.18 |
|--------|--|----------|------|---|-------|------|









(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability

| |  |  |  |  |  |  |  |  |
|--------------|---|---|---|---|--|---|---|---|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 'Wild Life' | • | • | • | • | • | • | • | • |
| Forestry | • | • | • | • | • | • | • | |
| Limited | • | • | • | • | • | • | • | |
| Moderate | • | • | • | • | • | • | | |
| Intense | • | • | • | • | • | | | |
| Limited | • | • | • | • | | | | |
| Moderate | • | • | • | | | | | |
| Intense | • | • | | | | | | |
| Very Intense | • | | | | | | | |

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water