LISTING PRICE: \$3,250,000 POTENTIAL BUILDING SITES **CROPLAND • 8 TRACTS** TRACT 1 MONTGOMERY CO, IN 190.74+/- ACRES **TRACTS 7-8**

NEAR CRAWFORDSVILLE AND WABASH COLLEGE



Gary Bohlander 765.794.0221 garyb@halderman.com

800.424.2324 | halderman.com FARM: Swift Farm HLS# GDB-13095 (25)





Real Estate Services



27.337*/- **Acres** 25.76*/- Tillable 0.49*/- Non-Tillable • 1.09*/- Other **LISTING PRICE: \$465,000**

TRACT 3



27.612+/- **Acres** 26.29+/- Tillable • 0.91+/- Other **LISTING PRICE: \$470,000**

TRACT 5



9.479+/- **Acres** 8.77+/- Tillable • 0.73+/- Other **LISTING PRICE: \$200,000**

TRACT 7



23.973+/- **Acres** 26+/- Pasture • 0.2+/- Other **LISTING PRICE: \$395,000**

TRACT 2



58.428+/- **Acres** 57.48+/- Tillable • 1.52+/- Other **LISTING PRICE: \$995,000**

TRACT 4



22.933+/- Acres
22+/- Pasture • 0.6+/- Other
LISTING PRICE: \$379,000

TRACT 6



7.893+/- **Acres** 7.5+/- Woods • 0.4+/- Other **LISTING PRICE: \$130,000**


TRACT 8



13.099+/- **Acres** 10.8+/- Pasture • 0.2+/- Other **LISTING PRICE: \$216,000**

PRODUCTIVE CROPLAND • SCENIC ROLLING PASTURES MULTIPLE POTENTIAL BUILDING SITES • TILLABLE





LISTING PRICE

\$3,250,000 total

PROPERTY LOCATION

2217 W CR 50 S, Crawfordsville, IN 47933 West of Crawfordsville,

IN at CR 50 S and 200 W in Union Township, Montgomery County.

TOPOGRAPHY

Level to Gently Rolling

SCHOOL DISTRICT

Crawfordsville Community School Corporation

ZONING

Agricultural

ANNUAL TAXES

\$7,149.05

KEY		SOIL DESCRIPTION	ACRES	CORN	SOYBEANS
	RwA	Rush variant silt loam, 0 to 2 percent slopes	28.96	145	51
	RtA	Rush silt loam, 0 to 1 percent slopes	28.35	155	54
	WdA	Waynetown silt loam, 2 to 6 percent slopes	18.12	160	52
	ОсВ	Ockley silt loam, 2 to 6 percent slopes	13.94	132	46
	MeB	Martinsville-Ockley silt loam, till substratums, 2 to 6 percent slopes	13.43	148	51
	Мс	Mahalasville silty clay loam, gravelly substratum	9.54	185	53
	OcA	Ockley silt loam, 0 to 2 percent slopes	4.42	134	47
	MeC	Martinsville-Ockley silt loam, till substratums, 6 to 12 percent slopes	1.87	139	48
	MdD2	Martinsville-Ockley silt loam, till substratums, 12 to 18 percent slopes, eroded	1.00	115	40
	CcF	Casco loam, 18 to 35 percent slopes	0.18		

WEIGHTED AVERAGE (WAPI)

150.7

51.1

