STATE OF TEXAS WELL REPORT for Tracking #21390

Owner:

Rich Shoemaker

Owner Well #:

No Data

Address:

106 Timpanagos Dr. Lakeway, TX 78734

Grid #:

56-22-4

Well Location:

.9 mi SW from White's Crossing on

RR 1871; .5 mi NW on Persimmon Pt.

Latitude:

30° 40' 14" N

Longitude:

099° 20' 09" W

TX

Elevation:

No Data

Well County:

Mason

Type of Work:

New Well

Proposed Use:

Domestic

Drilling Start Date: 6/9/2003

Drilling End Date: 6/10/2003

Borehole:

| Diameter (in.) | Top Depth (ft.) | Bottom Depth (ft.) |
|----------------|-----------------|--------------------|
| 9 | 0 | 21 |
| 6.75 | 21 | 22 |
| 6 | 22 | 600 |

Drilling Method:

Air Hammer

Borehole Completion:

Open Hole

Top Depth (ft.)

Annular Seal Data:

| Bottom | Denth | /# |
|----------|-------|------|
| DOLLOIII | Depin | (11. |

Description (number of sacks & material)

0

22

Seal Method: Grout

Distance to Septic Field or other

Sealed By: Driller

concentrated contamination (ft.): No Data

Distance to Property Line (ft.): No Data

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Surface Completion:

Pitless Adapter Used

Water Level:

33 ft. below land surface on 2003-06-10

Measurement Method: Unknown

Packers:

No Data

Type of Pump:

Submersible

Pump Depth (ft.): 200

Well Tests:

Jetted

Yield: 50 GPM

Water Type
Water Quality: 580 - 600 good (350 ppmTDS)

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which

contained injurious constituents?: No

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Virdell Drilling Inc.

111 E. Grayson St. Llano, TX 78643

Driller Name:

Lynn Hoy

License Number:

4071

Comments:

Persimmon Point Sub., Lot #4

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

| Top (ft.) | Bottom (ft.) | Description | Dia. (in.) |
|-----------|--------------|---|------------|
| 0 | 1 | Topsoil | 6" N PV |
| 1 | 4 | Black Clay & Limestone | |
| 4 | 17 | Light Brown Limestone | |
| 17 | 120 | Light Gray Limestone | |
| 120 | 230 | Light Brown Limestone | |
| 230 | 290 | Brown & Gray Limestone | |
| 290 | 450 | Gray & Brown Shaley Limestone | |
| 450 | 530 | Mostly Gray Limestone (Morgan Creek) | |
| 530 | 580 | Gray Sandy Limestone | |
| 580 | 600 | Gray Sandstone (Welge) | |

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Texas Department of Licensing and Regulation P.O. Box 12157 Austin, TX 78711 (512) 334-5540

| TIENTION OWNER: Confide | ntiality rse Side | STATE O WATER WEL | F TEXAS L REPORT | | |
|--|---------------------------|----------------------|---------------------|------------------------|------------------------------|
|) OWNER: 256M | ADDRESS: | P.O. BOX 941 | CITY | : MASON | STATE: TX ZIP: 76856- |
|) ADDRESS OF WELL: | | | | | (5) |
| County: MASON | GRID # 56-22-5 | | | | 1 |
| Street or RFD: PERSIM City, State, Zip code | ON POINT SUB., TRACT | (George Dill | |) |) ! ! |
|) TYPE OF WORK: NEW WELL | L 4) PR | OPOSED USE: DOMEST | | | |
| | | blic Supply Well. | | | |
|) WELL LOG: 20232 | | 7) DRILLIN | G METHOD: | ¦ 8) BOREHOLE COM ¦ | |
| ATE DRILLING: | 9 0 | 53 ¦ AIR ROT | ARY/HAMMER | OPEN HOLE | <u> </u> |
| STARTED: 06/30/00 | 6 53 | 580 | | IF GRAVEL | |
| COMPLETED: 06/30/00 | ! | <u> </u> | | i ! | FROM FT. TO FT. |
| CASING, BLANK PIPE, AND | | | | • | |
| DIA . NEW/USED DESC | | | CASING SCREEN | | |
| 6 N PVC (| CASING +: | 2 53 | SCH 40 | | |
| | . : | | | | |
| | | | | | |
| | * * | | | | |
| | | | | | |
| | ~~~~ | | | 9) CEMENTING DATA | |
| EOLOGICAL DESCRIPTION: | | , | | Cemented from | |
| RON TO DESCRIPTION | | |) | | 53 FT. 10 |
| | | | - | FT. TO | |
| | ONE-BROWN LIMESTONE-W | UTTE | 1 | Method used: | |
| | | ulic | 1 | | TAYLOR VIRDELL, JR. |
| 22 115 MEDIUM LIGHT | | 1. | 1.00 | | eptic field lines: ft. |
| 115 210 MEDIUM LIMES | | | ; | | ification of above distance: |
| | ONE-GRAY LIHESTONE-BR | NWC | ; | nethod of ver | ilitation of above distance. |
| 235 315 MEDIUM LINES | | | ; 1 | 10) SURFACE COMPL | ETIAN. |
| 315 465 MEDIUM LIGHT | LINESIUNE-GKHI | | ; | | PTER COMPLETE |
| 465 530 MEDIUM GRAY | CTREAVE "" | | | 11) WATER LEVEL: | : |
| 465 530 DARK W/GRAY 5 | | | 1 | | : FLOW FT. DATE: 06/30/00 |
| | INESTONE-GRAY | | | ARTESIAN FLO | |
| | AV : | | i 1 | 12) PACKERS: | TYPE DEPTH |
| 561 580 SANDSTONE-GRA | 11 | | ļ | 12) PHORERS. | |
| | | | ! | | |
| | • | | | | ***** |
| 3) TYPE PUNP: | 14) | WELL TEST: | | | |
| SUBMERSIBLE | | JETTED | | | |
| DEPTH TO PUMP: 200 | | YIELD: 75+ GPM | WITH FT D | RAWDOWN AFTER | HRS |
| | | | | | CHEMICAL ANALYSIS MADE |
| 5) WATER QUALITY: | D | OTU OF STOATA. SK | 1-590 | | OHEHZORE MINETOZO MIOC |
| NO STRATA OF UNDEST | IRABLE WATER PENETRATI | D | 1-300 | 390 T. | D.S. |
| OMPANY NAME: VIRDELL DR | TILING TNC U | | S LICENSE NO M | (1900) 4071 UDKI | ! FOR TWO USE ONLY |
| DORESS: 111 E. GRAYSON S | TELING INC. WI | TATE ALLE DATELLA | 5 | F: 78643 | WELL NO. |
| UUKESS. III C. GKHTSUN | oli (Cill Cum | , 3181 | L. IN LIP COO | L. 70043 | LOCATED ON MAP |
| | | | | | |
| HEDERY CEDITER THAT TH | TS UFIL UAS NOTILEN A | ME (OR LINDER MY | SUPERVISION) A | ND THAT EACH AND | ALL OF THE STATEMENTS HEREIN |
| OF TRUE TO THE REST OF | MY KNOW FORF AND RELT | FF. T UNDERSTAND | THAT FATLURE T | O COMPLETE ITEMS | 1 THRU 15 WILL RESULT IN THE |
| OG(S) BEING RETURNED FOR | | | THE THANKS | | |
| | | JILLIAL. | | | |
| (signed) Nove | Dois (h) us | (χ) | gned) | | |
| (118) | NSED WATER WELL DRILL | | | (REGISTERED DRIL | LER TRAINEE) |
| (= 1 0 = 1 | THE STREET STREET WITHOUT | | | , | • |

STATE OF TEXAS WELL REPORT for Tracking #109391

Owner:

John Gillespie

Owner Well #: No Data

Address:

P.O. Box 1869 Mason, TX 76856 Grid #:

56-22-5

Well Location:

Persimmon Point, Lot #2

Latitude:

30° 40' 02" N

Longitude:

099° 19' 58" W

Well County:

Mason

Elevation:

Type of Work:

No Data

New Well

Proposed Use:

Domestic

Drilling Start Date: 4/16/2007

Drilling End Date: 4/16/2007

| Borehole: | |
|-----------|--|

| Diameter (in.) | Top Depth (ft.) | Bottom Depth (ft.) |
|----------------|-----------------|--------------------|
| 9 | 0 | 42 |
| 6.75 | 42 | 43 |
| 6 | 43 | 140 |

Drilling Method:

Air Hammer

Borehole Completion:

Open Hole

Annular Seal Data:

| Top Depth (ft.) | Bottom Depth (ft.) | Description (number of sacks & material) | | |
|-----------------|--------------------|--|--|--|
| 0 | 3 | 1 Cement | | |
| 3 | 42 | 5 Bentonite | | |

Seal Method: Grout

Distance to Property Line (ft.): No Data

Sealed By: Lynn Hoy

Distance to Septic Field or other

concentrated contamination (ft.): No Data

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Surface Completion:

Surface Sleeve Installed

Water Level:

65 ft. below land surface on 2007-04-16

Measurement Method: Unknown

Packers:

No Data

Type of Pump:

Submersible

Pump Depth (ft.): 120

Well Tests:

Jetted

Yield: 45 GPM

| | Strata Depth (ft.) | Water Type | |
|----------------|--------------------|-------------------|--|
| Water Quality: | 75, 133 | good (480 ppmTDS) | |

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Virdell Drilling Inc.

111 E. Grayson St. Llano, TX 78643

Driller Name:

Taylor Virdell Jr.

License Number:

1900

Apprentice Name:

James Caleb Virdell

Apprentice Number:

3254

Comments:

No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

| Top (ft.) | Bottom (ft.) | Description | Dia. (in.) New/Used | Туре | Setting From/To (ft.) |
|-----------|--------------|-------------------------------|---------------------|------|-----------------------|
| 0 | 1 | Topsoil | 6" N PVC +2 - 43 | | |
| 1 | 17 | Brown & Gray Limestone w/Clay | | | |
| 17 | 140 | Light Gray Limestone | | | |

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Texas Department of Licensing and Regulation P.O. Box 12157 Austin, TX 78711 (512) 334-5540