



Soils Map



State: **Nebraska**
 County: **Boyd**
 Location: **5-32N-9W**
 Township: **Bush**
 Acres: **679.57**
 Date: **10/1/2026**



Maps Provided By:



Area Symbol: NE015, Soil Area Version: 27
 Area Symbol: NE089, Soil Area Version: 24

Code	Soil Description	Acres	Percent of field	SRPG Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	Irr Class *c	Range Production (lbs/acre/yr)	SRPG	*n NCCPI Overall
2118	Inavale fine sand, channeled, frequently flooded, wet	195.38	28.9%		> 6.5ft.	Excessively drained	Vlw		2920		13
3151	Bristow silty clay, 30 to 60 percent slopes	102.76	15.1%		1.2ft. (Paralithic bedrock)	Well drained	Vlls		2000	0	6
6302	Aowa silt loam, channeled, frequently flooded, wet	66.85	9.8%		> 6.5ft.	Well drained	Vlw		3354		37
9999	Water	63.38	9.3%		> 6.5ft.				0	0	
3233	Monowi-Bristow silty clays, 6 to 15 percent slopes	62.42	9.2%		3ft. (Paralithic bedrock)	Well drained	IVe	IVe	2202	9	25
3231	Monowi silty clay, 6 to 15 percent slopes	36.42	5.4%		3ft. (Paralithic bedrock)	Well drained	IVe	IVe	2400	10	29
3234	Monowi-Bristow silty clays, 9 to 35 percent slopes	34.57	5.1%		3ft. (Paralithic bedrock)	Well drained	Vle	Vle	2184	3	21
9810	Riverwash, 0 to 3 percent slopes, frequently flooded	33.68	5.0%		> 6.5ft.	Very poorly drained	Vllw	Vllw	450	0	12
2328	Inavale fine sandy loam, occasionally flooded	25.15	3.7%		> 6.5ft.	Excessively drained	Ille	Ille	2900	37	43

Code	Soil Description	Acres	Percent of field	SRPG Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	Irr Class *c	Range Production (lbs/acre/yr)	SRPG	*n NCCPI Overall
6314	Barney silt loam, channeled, frequently flooded	17.63	2.6%		> 6.5ft.	Very poorly drained	Vw		5400	23	13
6304	Barney loam, frequently flooded, wet	17.05	2.5%		> 6.5ft.	Very poorly drained	Vw		5106		18
9999	Water	15.14	2.2%		> 6.5ft.				0	0	
1039	Grigston silt loam, occasionally flooded	4.18	0.6%		> 6.5ft.	Well drained	Ilw	Ilw	3960	56	67
3320	Sansarc silty clay, 9 to 35 percent slopes	2.04	0.3%		1.2ft. (Paralithic bedrock)	Well drained	Vlle		2246	0	20
9911	Fluvaquents, frequently flooded, wet	1.68	0.2%		> 6.5ft.	Very poorly drained	Vlllw		0		31
9911	Fluvaquents, frequently flooded, wet	0.90	0.1%		> 6.5ft.	Very poorly drained	Vlllw		0		31
2322	Inavale fine sand, 0 to 5 percent slopes, channeled, frequently flooded	0.22	0.0%		> 6.5ft.	Somewhat excessively drained	Vlw	Vlw	3015	23	9
6314	Barney silt loam, channeled, frequently flooded	0.12	0.0%		> 6.5ft.	Very poorly drained	Vlw		5400	25	14
Weighted Average							*-	*-	2344.7	3.8	*n 16.8

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

*- Non Irr Class weighted average cannot be calculated on the current soils data due to missing data.

*- Irr Class weighted average cannot be calculated on the current soils data due to missing data.

	Symbol	Name	Description
	ERO	Severely eroded spot	An area where on the average 75 percent or more of the original surface layer has been lost because of accelerated erosion. Not used in map units that are named severely eroded, very severely eroded, or gullied. Typically 3 to 5 acres.